

### INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6:

A61F 13/15

(11) International Publication Number:

WO 97/07764

(43) International Publication Date:

6 March 1997 (06.03.97)

(21) International Application Number:

PCT/US96/13450

A1

(22) International Filing Date:

20 August 1996 (20.08.96)

(30) Priority Data:

TO95A000698

23 August 1995 (23.08.95)

(71) Applicant (for all designated States except US): THE PROC-TER & GAMBLE COMPANY [US/US]; One Procter & Gamble Plaza, Cincinnati, OH 45202 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): PALUMBO, Gianfranco [IT/DE]; Georgenfeld 7, D-61352 Bad Homburg (DE). CARLUCCI, Giovanni [IT/IT]; Via Papa Giovanni XXIII, I-66100 Chieti (IT).


(74) Agents: REED, T., David et al.; The Procter & Gamble Company, 5299 Spring Grove Avenue, Cincinnati, OH 45217 (US).

(81) Designated States: AL, AM, AT, AU, AZ, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, US, UZ, VN, ARIPO patent (KE, LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).

**Published** 

With international search report.

(54) Title: ELASTICATED PAD FOR BODY CONTACT INCONTINENCE PRODUCT



(57) Abstract

An elongate sanitary pad comprises a fluid-permeable topsheet (1), a core (4), a secondary topsheet (5) located between the topsheet (1) and the core (4), and elastication means in the form of at least one longitudinally extending thread (7) located between the core and the secondary topsheet. At least one transverse elastic thread may also be provided.

## FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MW	Malawi
AT	Austria	GE	Georgia	MX	Mexico
AU	Australia	GN	Guinea	NE	Niger
BB	Barbados	GR	Greece	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	IE	Ireland	NZ ·	New Zealand
BG	Bulgaria	IT	Italy	PL	Poland
BJ	Benin	JP	Japan	PT	Portugal
BR	Brazil	KE	Kenya	RO	Romania
BY	Belarus	KG	Kyrgystan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic	SD	Sudan :
CF	Central African Republic		of Korea	SE	Sweden .
CG	Congo	KR	Republic of Korea	SG	Singapore
CH	Switzerland	KZ	Kazakhstan	SI	Slovenia
a	Côte d'Ivoire	LI	Liechtenstein	SK	Slovakia
CM	Cameroon	LK	Sri Lanka	SN	Senegal
CN	China	LR	Liberia	SZ	Swaziland
CS	Czechoslovakia	LT	Lithuania	TD	Chad
CZ	Czech Republic	LU	Luxembourg	TG	Togo
DE	Germany	LV	Latvia	TJ	Tajikistan
DK	Denmark	MC	Monaco	TT	Trinidad and Tobago
EE	Estonia	MD ·	Republic of Moldova	UA	Ukraine
ES	Spain	MG	Madagascar	UG	Uganda ·
FI	Finland	ML	Mali	US	United States of Ameri
FR	France	MN	Mongolia	UZ	Uzbekistan
GA	Gabon	MR	Mauritania	VN	Viet Nam

1

# ELASTICATED PAD FOR BODY CONTACT INCONTINENCE PRODUCT

This invention relates to an absorbent article. It is particularly concerned with an absorbent article, for example in the form of a sanitary pad, which can be used by women suffering from light and moderate incontinence. The invention will be so described below. However, the invention is of more general applicability in relation to the absorption of body fluids, either urine or menstrua.

One problem associated with such articles is that urine may not go directly into the article, and be absorbed therein, but may flow along the user's body in a rearward direction and escape without ever entering the absorbent material of the article. This is particularly true in the case of gushes of urine which are of low volume or low flow rate.

It is an object of the present invention to provide an absorbent article which is so shaped that the above problem is eliminated, or at least reduced.

According to the present invention there is provided an elongate absorbent article which comprises a fluid-permeable topsheet, a core for providing fluid-storage, a fluid-receiving layer located between the topsheet and the core for transferring to the core fluid which passes through the topsheet, and elastication means located between the core and the fluid-receiving layer, the elastication means being in tension when the article is in a generally flat condition.

The fluid-receiving layer is referred to below as a secondary topsheet.

The invention will now be further described with reference to the accompanying drawings, in which:

Figure 1 is a perspective view f an embodiment of the invention;

Figure 2 is a longitudinal secti n through the embodiment of Figure 1, taken along the longitudinal centre line thereof,

Figure 3 is a transverse section through the embodiment of Figure 1, taken on the transverse centre line thereof; and

Figure 4 is a view similar to Figure 3 but showing a modified embodiment.

The embodiment shown in Figures 1 to 3 is an absorbent sanitary pad for use by a woman suffering from light incontinence. It comprises a fluid-permeable topsheet 1, a fluid-impermeable backsheet 2 which is sealed thereto, by a seal 3 at the periphery of the article, for example by heat sealing or adhesive. The article further comprises an absorbent core 4, for example one which contains an absorbent gelling material (AGM), and a secondary topsheet 5 which serves to receive fluid and transfer it to the core.

The materials used for the topsheet, backsheet and absorbent core may be those which are conventionally used for absorbent sanitary products. However, attention is directed to International Patent Publication WO94/28838 which describes an absorbent product having a secondary topsheet of high bulkiness, and to WO94/01069 and PCT/EP94/04215 which describe cores including AGM's, for further details of some suitable materials.

The article further comprises an elastication system which serves to cause the article to curve in a way which enables it to conform closely to the user's body and at least substantially prevent, or reduce, the risk of urine escaping past it. In Figures 1 to 3 this elastication system comprises an elastic thread 6 which runs along at least a major portion of the length of the article, preferably substantially the whole length of the article, beneath the secondary topsheet 5, and is attached at its ends, or along its whole length, or at selected points along its length, to the secondary topsheet and/or to the core. As can be seen, this causes the pad to assume a configuration which is upwardly concave as seen in longitudinal section (Figure 2), and upwardly convex as seen in transverse section (Figure 3). The pad is thus resiliently raised towards the body of the user and held in close contact with it, so providing a better fit and a better ability to acquire even the lightest release of urine. The core is relatively stiff, and stays substantially flat as view in transverse section, thus enabling it to maintain good contact with the user's panty.

Figure 4 shows a modified embodiment which comprises in addition an elastic thread 7 which runs transversely above the core 2, and below the secondary topsheet 5

with its longitudinal elastic thread 6. The transverse elastic thread 7 is shown fixed to the secondary topsheet 5, though if it were slightly longer it could alternatively, or additionally, be fixed to the primary topsheet 1. In any event, it is preferably fixed only at its ends. By pulling the sides of the secondary topsheet and/or primary topsheet inwards, the transverse elastic thread assists in giving the article, as seen in transverse section, the desired upwardly convex shape.

Various other modifications are also possible. For example, or a plurality of transverse threads could be provided, the plurality being arranged close to one another or spaced along the length of the article, and the single longitudinal thread may be replaced by a plurality of longitudinal threads arranged close to one another.

#### **CLAIMS:**

- 1. An elongate absorbent article which comprises a fluid-permeable topsheet, a core for providing fluid-storage, a fluid-receiving layer located between the topsheet and the core for transferring to the core fluid which passes through the topsheet, and elastication means located between the core and the fluid-receiving layer, the elastication means being in tension when the article is in a generally flat condition.
- 2. An article according to claim 1, further comprising a fluid-impermeable backsheet on the opposite side of the core to the fluid-receiving layer.
- 3. An article according to either preceding claim, wherein the elastication means comprises at least one elastic thread running substantially along at least a major portion of the longitudinal centre line of the article.
- 4. An article according to claim 3, wherein the or each said thread is attached at its ends to at least one of the fluid-receiving layer and the core.
- 5. An article according to claim 3, wherein the or each said thread is attached at selected points along its length to at least one of the fluid-receiving layer and the core.
- 6. An article according to any preceding claim, further comprising at least one further elastic thread extending transversely of the article and attached at its ends to at least one of the topsheet and the fluid-receiving layer.
- 7. An article according to any preceding claim which is in the form of a sanitary pad.




FIG. 1




FIG 2




FIG 3




FIG. 4

## INTERNATIONAL SEARCH REPORT

International application No. PCT/US96/13450

	SSIFICATION OF SUBJECT MATTER	
	:A61F 13/15 :604/385.2	÷
According t	o International Patent Classification (IPC) or to both national classification and IPC	•
B. FIEI	LDS SEARCHED	
Minimum d	ocumentation searched (classification system followed by classification symbols)	,
U.S. :	604/385.1-390	
Documenta	tion searched other than minimum documentation to the extent that such documents are included	in the fields searched
Electronic d	lata base consulted during the international search (name of data base and, where practicable,	search terms used)
c. Doc	UMENTS CONSIDERED TO BE RELEVANT	
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US, A, 4,892,536 (DESMARAIS ET AL.) 09 January 1990,	1-5
•	see Fig. 3.	
Α	US, A, 5,324,278 (VISSCHER ET AL.) 28 June 1994, see Abstract.	1-5
A	US, A, 5,295,988 (MUCKENFUHS ET AL.) 22 March 1994, see Figs. 12 and 13.	1-5
E,A	US, A, 5,558,656 (BERGMAN) 24 September 1996, see Abstract and Figs 1-10.	1-5
À	US, A, 5,411,498 (FAHRENKRUG ET AL.) 02 May 1995, see Figs. 1-9, and Abstract.	1-5
Α	US, A, 4,935,021 (HUFFMAN ET AL.) 19 June 1990, see Figs. 1-14.	1-5
Furth	ner documents are listed in the continuation of Box C. See patent family annex.	
· ·	ecial categories of cited documents:  T" later document published after the introduce and not in conflict with the applic cument defining the general state of the art which is not considered principle or theory underlying the integral state.	ation but cited to understand the
"E" ear	the of particular relevance  the document published on or after the international filing date  "X"  document of particular relevance: the considered novel or cannot be considered.	e claimed invention cannot be
cit	cument which may throw doubts on priority claim(s) or which is ced to establish the publication date of another citation or other citation	
*O* do	considered to involve an inventive combined with one or more other such tans  considered to involve an inventive combined with one or more other such tans.	h documents, such combination
	cument published prior to the international filing date but later than "&" document member of the same patent priority date claimed	family
Date of the	actual completion of the international search  Date of mailing of the international search	arch report
29 SEPTE	EMBER 1996 04 NOV 1996	
Name and n Commissio Box PCT	nailing address of the ISA/US ner of Patents and Trademarks  MARK O. POLUTTA	Rolina
	D. D.C. 20231 MARK O. POLUTTA	

## INTERNATIONAL SEARCH REPORT

International application No. PCT/US96/13450

Box I	Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)	1				
This international report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:						
1.	Claims Nos.: because they relate to subject matter not required to be searched by this Authority, namely:					
	) :					
2.	Claims Nos.: because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:					
3. X	Claims Nos.: 6.7 because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).					
Box II	Observations where unity of invention is lacking (Continuation of item 2 of first sheet)	]				
This In	ternational Searching Authority found multiple inventions in this international application, as follows:	]				
٠						
1.	As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims.					
2.	As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.					
3.	As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:					
i		Ì				
4. No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:						
Remark on Protest  The additional search fees were accompanied by the applicant's protest.  No protest accompanied the payment of additional search fees						